



LED PANELI

XENON
LIGHT
LIGHTS & ACCESSORIES

LED PANELI | Nadgradni



220V

75-80 Lm/W

2835 SMD

120°

IP20

Izolovani led driver

Jednostavna montaža

Metal + PVC

MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SL	6W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø114mm	
ON-SM	12W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø164mm	
ON-SN	18W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø217mm	
ON-SO	24W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø295mm	
ON-SS	30W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø295mm	
ON-SL	6W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	114x114mm	
ON-SM	12W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	163x163mm	
ON-SN	18W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	216x216mm	
ON-SO	24W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	295x295mm	
ON-SS	30W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	295x295mm	



LED PANELI | Ugradni



220V

75-80 Lm/W

2835 SMD

120°

IP20

Izolovani led driver

Jednostavna montaža

Metal + PVC

MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SA	3W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø83mm	
ON-SB	4W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø85mm	
ON-SC	6W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø119mm	
ON-SD	9W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø146mm	
ON-SE	12W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø168mm	
ON-SG	18W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø222mm	
ON-SQ	24W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø295mm	
ON-SR	30W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	Ø295mm	
ON-SA	3W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	84x84mm	
ON-SB	4W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	110x110mm	
ON-SC	6W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	117x117mm	
ON-SD	9W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	147x147mm	
ON-SE	12W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	167x167mm	
ON-SF	15W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	194x194mm	
ON-SG	18W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	218x218mm	
ON-SQ	24W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	293x293mm	
ON-SR	30W	6500K/ 4000K/ 3000K	75-80lm	220V 50Hz	>80	300x300mm	

LED PANELI | Dvobojni nadgradni



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SN	18+6W	3000K+Hladno bela	75-80Lm	220V 50Hz	>80	Ø 245mm	
ON-SN	18+6W	6500K+Toplo bela	75-80Lm	220V 50Hz	>80	Ø 245mm	
ON-SN	18+6W	6500K+Plava	75-80Lm	220V 50Hz	>80	Ø 245mm	
ON-SN	18+6W	6500K+Orvena	75-80Lm	220V 50Hz	>80	Ø 245mm	
ON-SN	18+6W	6500K+Zelena	75-80Lm	220V 50Hz	>80	Ø 245mm	
ON-SN	18+6W	6500K+Pink	75-80Lm	220V 50Hz	>80	Ø 245mm	
ON-SN	18+6W	6500K+Plava	75-80Lm	220V 50Hz	>80	245x245mm	
ON-SN	18+6W	6500K+Orvena	75-80Lm	220V 50Hz	>80	245x245mm	
ON-SN	18+6W	6500K+Zelena	75-80Lm	220V 50Hz	>80	245x245mm	
ON-SN	18+6W	6500K+Pink	75-80Lm	220V 50Hz	>80	245x245mm	


LED PANELI | Dvobojni ugradni



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SG	18+6W	6500K+Plava	75-80Lm	220V 50Hz	>80	Ø 243mm	
ON-SG	18+6W	6500K+Orvena	75-80Lm	220V 50Hz	>80	Ø 243mm	
ON-SG	18+6W	6500K+Zelena	75-80Lm	220V 50Hz	>80	Ø 243mm	
ON-SG	18+6W	6500K+Pink	75-80Lm	220V 50Hz	>80	Ø 243mm	
ON-SG	18+6W	6500K+Plava	75-80Lm	220V 50Hz	>80	243x243mm	
ON-SG	18+6W	6500K+Orvena	75-80Lm	220V 50Hz	>80	243x243mm	
ON-SG	18+6W	6500K+Zelena	75-80Lm	220V 50Hz	>80	243x243mm	
ON-SG	18+6W	6500K+Pink	75-80Lm	220V 50Hz	>80	243x243mm	

LED PANELI | Nadgradni veliki






MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SW	48W	6500K / 4000K / 3000K	75-80Lm	220V 50Hz	>80	Ø 600mm	 
ON-SW	48W	6500K / 4000K / 3000K	75-80Lm	220V 50Hz	>80	600x600mm	  
ON-SW	48W	6500K / 4000K / 3000K	75-80Lm	220V 50Hz	>80	1200x300mm	 
ON-SV	80W	6500K / 4000K / 3000K	75-80Lm	220V 50Hz	>80	1200x600mm	

LED PANELI | Ugradni veliki






MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
FK-PA 600*300	24W	6500K / 4000K / 3000K	75-80Lm	220V 50Hz	>80	595x295mm	 
FK-PA 600*600	48W	6500K / 4000K / 3000K	75-80Lm	220V 50Hz	>80	595x595mm	 
FK-PA 1200*300	48W	6500K / 4000K / 3000K	75-80Lm	220V 50Hz	>80	1195x295mm	 
FK-PA 1200*600	80W	6500K / 4000K	75-80Lm	220V 50Hz	>80	1195x595mm	

LED PANELI | Nadgradni 3 boje



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SN WH/VW/NW	18W	6500K+4000K+3000K	75-80Lm	220V 50Hz	>80	Ø225mm	○
ON-SN WH/VW/NW	18W	6500K+4000K+3000K	75-80Lm	220V 50Hz	>80	225x225mm	□
ON-SO WH/VW/NW	24W	6500K+4000K+3000K	75-80Lm	220V 50Hz	>80	300x300mm	□

LED PANELI | Ugradni stakleni



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SI	6W	6500K/4000K/3000K	75-80Lm	220V 50Hz	>80	Ø98mm	○
ON-SI	6W	6500K/4000K/3000K	75-80Lm	220V 50Hz	>80	96x96mm	□
ON-SK	18W	6500K/4000K/3000K	75-80Lm	220V 50Hz	>80	Ø200mm	○
ON-SK	18W	6500K/4000K/3000K	75-80Lm	220V 50Hz	>80	200x200mm	□

LED PANELI | Nadgradni tip I



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SMTIPI	12W	6500K	90-100Lm	220V 50Hz	>80	Ø120x57mm	○
ON-SMTIPI	12W	6500K	90-100Lm	220V 50Hz	>80	121x121x57mm	□

LED PANELI | Ugradni tip II



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
ON-SCTIPII	6W	6500K/4000K	75-80Lm	220V 50Hz	>80	Ø105mm	○●
ON-SETIPII	12W	6500K	75-80Lm	220V 50Hz	>80	Ø137mm	○

LED DOWNLIGHT | COB Krug




MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
VL-1915	15W	6500K	75-80Lm	220V 50Hz	>80	Ø170mm	○
VL-1920	20W	3000K	75-80Lm	220V 50Hz	>80	Ø190mm	○
VL-1930	30W	6500K/ 4000K/ 3000K	75-80Lm	220V 50Hz	>80	Ø225mm	○

LED DOWNLIGHT | Nadgradni tip I



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
VL-1930	30W	6500K/ 4000K/ 3000K	75-80Lm	220V 50Hz	>80	Ø165mm	○

LED DOWNLIGHT | COB Kocka



MODEL	SNAGA	TEMPERATURA BOJE	LUMEN/W	NAPON	CRI	Dimenzije	Boja/Oblik tela
VL-1930	30W	6500K/ 3000K	75-80Lm	220V 50Hz	>80	221x221mm	□



MODEL	Boja
600x300	
605x605	
1200x300	
1200x605	
SFPLC-050 595x595	
SFPLC-050 1195x295	



MODEL	Boja
630x330	
630x630	
1230x330	
1230x630	