



XENON^{LIGHT}
LIGHTS & ACCESSORIES

LED TRAKE

LED TRAKE IP20 12V JEDNOBOJNE




- 80% više uštede u odnosu na klasične lampe
- Savremeno rešenje
- Visoko efikasne
- Veliki izbor temperature boje
- Samolepljive i lake za upotrebu
- Jednostavna i bezbedna upotreba
- Manji troškovi i duži vek trajanja

LED TRAKE IP20 | 3528 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
3528-60	6W	6500K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	4000K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	3000K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	2300K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	RED	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	GREEN	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	BLUE	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	YELLOW	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	PINK	6-8/CHIP	12V	60/M	8MM X 5M



LED TRAKE IP20 | 3528 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
3528-120	12W	6500K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	4000K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	3000K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	2300K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	RED	6-8/CHIP	12V	120/M	8MM X 5M
3528-120	12W	GREEN	6-8/CHIP	12V	120/M	8MM X 5M
3528-120	12W	BLUE	6-8/CHIP	12V	120/M	8MM X 5M



LED TRAKE IP20 | 5050 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-60	14,4W	6500K	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	4000K	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	3000K	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	RED	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	GREEN	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	BLUE	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	PINK	10-12/CHIP	12V	60/M	10MM X 5M
5050-120	28,8W	6500K	10-12/CHIP	12V	120/M	10MM X 5M
5050-120	28,8W	4000K	10-12/CHIP	12V	120/M	10MM X 5M
5050-120	28,8W	3000K	10-12/CHIP	12V	120/M	10MM X 5M



LED TRAKE IP20 | 5730 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5730-60	14,4W	6500K	10-12/CHIP	12V	60/M	10MM X 5M
5730-60	14,4W	4000K	10-12/CHIP	12V	60/M	10MM X 5M
5730-60	14,4W	3000K	10-12/CHIP	12V	60/M	10MM X 5M






MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
2835-60	6W	6500K	10-12/CHIP	12V	60/M	8MM X 5M
2835-120	12W	6500K	10-12/CHIP	12V	120/M	8MM X 5M



MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
2835-60 5MM	6W	6500K	10-12/CHIP	12V	60/M	5MM X 5M
2835-60 5MM	6W	4000K	10-12/CHIP	12V	60/M	5MM X 5M
2835-60 5MM	6W	3000K	10-12/CHIP	12V	60/M	5MM X 5M
2835-120 5MM	12W	6500K	10-12/CHIP	12V	120/M	5MM X 5M
2835-120 5MM	12W	4000K	10-12/CHIP	12V	120/M	5MM X 5M
2835-120 5MM	12W	3000K	10-12/CHIP	12V	120/M	5MM X 5M



LED TRAKE IP20 | 2110 JEDNOBOJNE



3

GODINE

GARANCIJE



MODEL	SNAGA/M	BOJA SVETLA	LUMEN /W	NAPON	BROJ DIODA/M	DIMENZIJE
2110-60	4,8W	6500K	82LM/W	12V	60/M	8MM X 5M
2110-60	4,8W	4000K	82LM/W	12V	60/M	8MM X 5M
2110-60	4,8W	3000K	76LM/W	12V	60/M	8MM X 5M
2110-120	9,6W	6500K	82LM/W	12V	120/M	8MM X 5M
2110-120	9,6W	4000K	82LM/W	12V	120/M	8MM X 5M
2110-120	9,6W	3000K	76LM/W	12V	120/M	8MM X 5M




LED TRAKE IP20 24V JEDNOBOJNE




- Još više uštede
- Stabilnije i dugotrajnije
- Savremeno rešenje
- Visoko efikasne
- Veliki izbor temperature boje
- Samolepljive i lake za upotrebu
- Konstantan intenzitet svetla na većim dužinama

LED TRAKE IP20 | 24V 2835JEDNOBOJNE



MODEL	SNAGA/M	BOJA SVETLA	LUMEN /CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
2835-60-24V	6W	6500K	18-20/CHIP	24V	60/M	8MM X 5M
2835-60-24V	6W	4000K	18-20/CHIP	24V	60/M	8MM X 5M
2835-60-24V	6W	3000K	18-20/CHIP	24V	60/M	8MM X 5M
2835-60-24V	6W	2300K	18-20/CHIP	24V	60/M	8MM X 5M
2835-120-24V	12W	6500K	18-20/CHIP	24V	120/M	8MM X 5M
2835-120-24V	12W	4000K	18-20/CHIP	24V	120/M	8MM X 5M
2835-120-24V	12W	3000K	18-20/CHIP	24V	120/M	8MM X 5M
2835-120-24V	12W	6500K	18-20/CHIP	24V	120/M	8MM X 5M



LED TRAKE 24V COB





- Neprekidan niz svetla
- Više lumena sa manje energije
- Smanjeni nivo toplote
- Performanse visokog nivoa tokom dužeg vremena trajanja
- Konstantan intenzitet svetla na većim dužinama

LED TRAKE IP20 | 24V COB





MODEL	SNAGA/M	BOJA SVETLA	LUMEN /CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
FCOB-D308	6W	6500K	2-3/CHIP	24V	300/M	8MM X 5M
FCOB-D308	6W	4000K	2-3/CHIP	24V	300/M	8MM X 5M
FCOB-D308	6W	3000K	2-3/CHIP	24V	300/M	8MM X 5M
FCOB-D308	12W	6500K	2-3/CHIP	24V	300/M	8MM X 5M
FCOB-D308	12W	4000K	2-3/CHIP	24V	300/M	8MM X 5M
FCOB-D308	12W	3000K	2-3/CHIP	24V	300/M	8MM X 5M



LED TRAKE IP67 | 24V COB



MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
FCOB-D308 IP67	6W	6500K	2-3/CHIP	24V	300/M	10MM X 5M
FCOB-D308 IP67	6W	4000K	2-3/CHIP	24V	300/M	10MM X 5M
FCOB-D308 IP67	6W	3000K	2-3/CHIP	24V	300/M	10MM X 5M
FCOB-D308 IP67	12W	6500K	2-3/CHIP	24V	300/M	10MM X 5M
FCOB-D308 IP67	12W	4000K	2-3/CHIP	24V	300/M	10MM X 5M
FCOB-D308 IP67	12W	3000K	2-3/CHIP	24V	300/M	10MM X 5M



LED TRAKE IP20 RGB




- Mogućnost izbora boje
- Mogućnost izbora režima rada
- Savremeno rešenje
- Visoko efikasne
- Jednostavna i bezbedna upotreba

LED TRAKE IP20 | 5050 RGB 12V




MODEL	SNAGA/M	BOJA SVETLA	LUMEN /CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-RGB-30	7.2W	RGB	10-12/CHIP	12V	30/M	10MM X 5M
5050-RGB-60	14.4W	RGB	10-12/CHIP	12V	60/M	10MM X 5M



LED TRAKE IP20 | 5050 RGB 24V



MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-RGB-60-24V	14.4W	RGB	10-12/CHIP	24V	60/M	10MM X 5M



LED TRAKE IP20 RGB +



- Poboljšana verzija RGB traka
- Širi spektar boja u poređenju sa standardnim RGB trakama
- Omogućava kreiranje šireg spektra boja, uključujući čisto belu, pastelne nijanse i živopisnije nijanse.

LED TRAKE IP20 | 5050 RGB+

5050-RGB+ 60D

100mm

PCB=12mm

5m

The diagram illustrates the physical layout of the 5050-RGB+ 60D LED strip. It shows a 100mm segment with a 12mm wide PCB. The segment contains six 5050 RGB LEDs, each with a 24V input. The LEDs are arranged in a sequence of RGB, WBGR, WBGR, WBGR, WBGR, and WBGR. The 5m section shows a repeating pattern of these LEDs, with a break symbol indicating the continuation of the strip.



LED TRAKE IP20 Z SHAPE




- Mogućnost višestrukog načina savijanja
- Savremeno rešenje
- Samolepljive i lake za upotrebu

LED TRAKE IP20 | Z SHAPE



MODEL	SNAGA/M	BOJA SVETLA	LUMEN /W	NAPON	BROJ DIODA/M	DIMENZIJE
KL-2835-60Z	10W	4000K	94LM/W	12V	60/M	6MM X 5M
KL-2835-60Z	10W	3000K	101LM/W	12V	60/M	6MM X 5M

KL-2835-60Z




LED TRAKE IP20 | Z SHAPE



MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
KL-2835-120Z	8W	6500K	100LM/W	12V	120/M	6MM X 5M

KL-2835-120Z



LED TRAKE VODOOTPORNE 12V




- Mogućnost unutrašnje i spoljašnje upotrebe
- Visoko efikasne
- Veliki izbor temperature boje
- Samolepljive i lake za upotrebu


LED TRAKE IP54 | 3528 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
3528-60	6W	6500K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	4000K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	3000K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	RED	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	GREEN	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	BLUE	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	YELLOW	6-8/CHIP	12V	60/M	8MM X 5M



LED TRAKE IP54 | 3528 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
3528-120	12W	6500K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	4000K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	3000K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	RED	6-8/CHIP	12V	120/M	8MM X 5M
3528-120	12W	GREEN	6-8/CHIP	12V	120/M	8MM X 5M
3528-120	12W	BLUE	6-8/CHIP	12V	120/M	8MM X 5M



LED TRAKE IP54 | 5050 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-30	7,2W	6500K	10-12/CHIP	12V	30/M	10MM X 5M
5050-30	7,2W	4000K	10-12/CHIP	12V	30/M	10MM X 5M
5050-30	7,2W	3000K	10-12/CHIP	12V	30/M	10MM X 5M
5050-60	14,4W	6500K	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	4000K	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	3000K	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	RED	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	GREEN	10-12/CHIP	12V	60/M	10MM X 5M
5050-60	14,4W	BLUE	10-12/CHIP	12V	60/M	10MM X 5M



LED TRAKE IP54 | 5050 RGB




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-RGB-30	7,2W	RGB	10-12/CHIP	12V	30/M	10MM X 5M
5050-RGB-60	14,4W	RGB	10-12/CHIP	12V	60/M	10MM X 5M



LED TRAKE IP67 | 3528 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
3528-60	6W	6500K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	4000K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	3000K	8-10/CHIP	12V	60/M	8MM X 5M
3528-60	6W	RED	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	GREEN	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	BLUE	6-8/CHIP	12V	60/M	8MM X 5M
3528-60	6W	YELLOW	6-8/CHIP	12V	60/M	8MM X 5M



LED TRAKE IP67 | 3528 JEDNOBOJNE




MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
3528-120	12W	6500K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	4000K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	3000K	8-10/CHIP	12V	120/M	8MM X 5M
3528-120	12W	RED	6-8/CHIP	12V	120/M	8MM X 5M
3528-120	12W	GREEN	6-8/CHIP	12V	120/M	8MM X 5M
3528-120	12W	BLUE	6-8/CHIP	12V	120/M	8MM X 5M






MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-60	14,4W	6500K	10-12/CHIP	12V	60/M	12MM X 5M
5050-60	14,4W	4000K	10-12/CHIP	12V	60/M	12MM X 5M
5050-60	14,4W	3000K	10-12/CHIP	12V	60/M	12MM X 5M
5050-60	14,4W	2700K	10-12/CHIP	12V	60/M	12MM X 5M

5050-60D-IP67



MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-RGB-60	14,4W	RGB	10-12/CHIP	12V	60/M	12MM X 5M

5050-RGB-60D-IP67



LED TRAKE VODOOTPORNE 24V






- Mogućnost montiranja u gotovo svim uslovima
- Visoko efikasne
- Veliki izbor temperature boje
- Stabilnije i dugotrajnije
- Konstantan intenzitet svetla na većim dužinama

LED TRAKE IP65 | 24V JEDNOBOJNE



MODEL	SNAGA/M	BOJA SVETLA	LUMEN /W	NAPON	BROJ DIODA/M	DIMENZIJE
2835-60-24V	6W	6500K	18-20LM/CHIP	24V	60/M	8MM X 5M
2835-60-24V	6W	4000K	18-20LM/CHIP	24V	60/M	8MM X 5M
2835-60-24V	6W	3000K	18-20LM/CHIP	24V	60/M	8MM X 5M
2835-120-24V	12W	6500K	18-20LM/CHIP	24V	120/M	8MM X 5M
2835-120-24V	12W	4000K	18-20LM/CHIP	24V	120/M	8MM X 5M
2835-120-24V	12W	3000K	18-20LM/CHIP	24V	120/M	8MM X 5M
2835-120-24V	12W	2300K	18-20LM/CHIP	24V	120/M	8MM X 5M



LED TRAKE IP20 220V




- Mogućnost unutrašnje i spoljašnje upotrebe
- Savremeno rešenje
- Veliki izbor temperature boje
- Jednostavna upotreba

LED TRAKE 220V | 5050 JEDNOBOJNE



MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-60	14W	6500K	10-12/CHIP	220V	60/M	10MM X 50M
5050-60	14W	4000K	10-12/CHIP	220V	60/M	10MM X 50M
5050-60	14W	3000K	10-12/CHIP	220V	60/M	10MM X 50M
5050-60	14W	RED	10-12/CHIP	220V	60/M	10MM X 50M
5050-60	14W	GREEN	10-12/CHIP	220V	60/M	10MM X 50M
5050-60	14W	BLUE	10-12/CHIP	220V	60/M	10MM X 50M

5050-60D-220V





LED TRAKE 220V | 5050 RGB



MODEL	SNAGA/M	BOJA SVETLA	LUMEN/CHIP	NAPON	BROJ DIODA/M	DIMENZIJE
5050-RGB-60	14W	RGB	10-12/CHIP	220V	60/M	10MM X 50M

5050-RGB-60D 220V



XENON
LIGHT

LIGHTS & ACCESSORIES

Xenon Light d.o.o.

Visnjicka 118A, Beograd

+381 11 2755371

prodaja@xenonlight.rs

www.xenonlight.rs